

KALAMAZOO COUNTY GOVERNMENT

In the Pursuit of Extraordinary Governance...

NEWS RELEASE FOR IMMEDIATE RELEASE September 27, 2019 Matt Johnson, Public Information Officer gmjohn@kalcounty.com 269-373-5271 or 269-373-5270

Kalamazoo and Calhoun Counties Make Determination on Mosquito Control

Kalamazoo County Health & Community Services Department and Calhoun County Public Health Department has opted in for spraying insecticide

KALAMAZOO, MI – Kalamazoo County Health & Community Services Department and Calhoun County Public Health Department, along with neighboring counties, have made the determination to opt in for the plan to spray insecticide initiated by the Michigan Department of Health and Human Services (MDHHS). The plan and communities participating are detailed in a press release sent by MDHHS today, September 27, 2019.

The determination to opt in was made to best mitigate the ongoing public health risk of potential exposure to Eastern Equine Encephalitis (EEE). In discussions with MDHHS, it was determined that an aerial spray of adulticide will lower the mosquito population and reduce the public health risk.

Kalamazoo County Health & Community Services Department will hold a joint press conference with Calhoun County Public Health Department at 3:00 p.m. at the Kalamazoo County Health & Community Services Department building (311 E. Alcott Street, Room 361) to address the decision to opt in of the MDHHS proposed plan.

###

Kalamazoo County Government Health & Community Services Department

Like Kalamazoo County Health & Community Services Follow us @KzooHealth

<u>CCPublicHealthDepartment</u>

HEALTH AND COMMUNITY SERVICES DEPARTMENT

311 E. Alcott St. | Kalamazoo, MI 49001

Phone: 269.373.5200 | www.kalcounty.com/hcs



STATE OF MICHIGAN DEPARTMENT OF HEALTH AND HUMAN SERVICES LANSING

ROBERT GORDON
DIRECTOR

EMBARGOED UNTIL NOON ON SEPT. 27, 2019

GRETCHEN WHITMER

GOVERNOR

CONTACT: Lynn Sutfin 517-241-2112 SutfinL1@michigan.gov

Aerial spraying being conducted in 14 counties to combat mosquito-borne disease

Eastern Equine Encephalitis cases continue increasing in Michigan

LANSING, Mich. – Due to the large geographic distribution and number of Eastern Equine Encephalitis (EEE) cases in humans and animals, coupled with warm weather projections, the Michigan Department of Health and Human Services (MDHHS) and 12 local health departments have decided to conduct aerial spraying in high risk areas combat further spread of the deadly disease EEE.

Spraying is scheduled take place starting Sunday, Sept. 29 starting at 8 p.m. However, the ability to spray is weather dependent and the schedule may change. Residents are encouraged to visit Michigan.gov/EEE for up-to-date information.

Spraying will occur in the following 14 counties: Allegan, Barry, Berrien, Branch, Calhoun, Cass, Jackson, Kalamazoo, Kent, Lapeer, Montcalm, Newaygo, St. Joseph and Van Buren. All of these counties have cases of EEE in people, animals or both. Visit Michigan.gov/EEE for more detailed information.

Aerial spraying is conducted by low-flying aircraft, beginning in the early evening and continuing up until 4:30 a.m. the next morning, in areas of concern. Mosquito control professionals will apply approved pesticides as an ultra-low volume (ULV) spray. ULV sprayers dispense very fine aerosol droplets that stay suspended in the air and kill adult mosquitoes on contact. This is a tactic other states, including Massachusetts and Rhodelsland, have recently employed to combat EEE.

"We are taking this step to help protect the health and safety of Michiganders in areas of the state that are being affected by this dangerous mosquito-borne disease," said Dr. Joneigh Khaldun, MDHHS chief medical executive and chief deputy for health. "The continuing number of cases in both people and animals indicate an ongoing risk for EEE exposure. We continue to urge residents to protect themselves against mosquito bites until a hard frost."

The pesticide being used is Merus 3.0 which is an organic pesticide containing 5 percent pyrethrin. Pyrethrins are chemicals found naturally in some chrysanthemum flowers. They are a mixture of six chemicals that are toxic to insects. Pyrethrins are commonly used to control mosquitoes, fleas, flies, moths, ants and many other pests. Pyrethrins have been registered for use in pesticides since the 1950s.

In general, health risks are not expected during or after spraying. No special precautions are recommended; however, residents and individuals who have known sensitivities to pyrethrins can reduce potential for exposure by staying indoors during spraying. Aerial spraying is not expected to have any impacts on surface water or drinking water.

Aerial spraying Page 2 of 2

Aerial spraying will be conducted in the nighttime hours as this is when mosquitos are more active. It is also when fish are less likely to be at the surface feeding and honeybees are most likely to be in their hives. However, owners should cover small ornamental fishponds during the night of spraying. While it is not necessary to bring animals indoors during spraying, concerned pet owners can bring animals inside during spraying.

Additional information about aerial spraying and other health-related information is available in a Frequently Asked Questions document at Michigan.gov/EEE.

As of Sept. 27, EEE has been confirmed in nine people, with three fatalities, in Barry, Berrien, Calhoun, Cass, Kalamazoo and Van Buren counties. In addition, cases have occurred in 27 animals from 13 counties: Barry, Berrien, Calhoun, Cass, Genesee, Jackson, Kalamazoo, Kent, Lapeer, Montcalm, Newaygo, St. Joseph and Van Buren. There is an EEE vaccine available for horses, but not for people. Additional animal cases are under investigation.

MDHHS is continuing to encourage local officials in the affected counties to consider postponing, rescheduling or cancelling outdoor activities occurring at or after dusk, particularly activities that involve children. This would include events such as late evening sports practices or games or outdoor music practices. The MDHHS recommendation is being made out of an abundance of caution to protect the public health and applies until the first hard frost of the year.

EEE is one of the most dangerous mosquito-borne diseases in the United States, with a 33 percent fatality rate in people who become ill. People can be infected with EEE from the bite of a mosquito carrying the viruses. Persons younger than age 15 and over age 50 are at greatest risk of severe disease following infection.

Although the aerial spray is considered necessary to reduce human risk, it will not eliminate it. Residents must continue to protect themselves from mosquito bites by:

- Avoid being outdoors from dusk to dawn when mosquitos that carry the EEE virus are most active.
- Applying insect repellents that contain the active ingredient DEET, or other U.S. Environmental Protection Agency-approved product to exposed skin or clothing, and always follow the manufacturer's directions for use.
- Wearing long-sleeved shirts and long pants when outdoors. Apply insect repellent to clothing to help prevent bites.
- Maintaining window and door screening to help keep mosquitoes outside.
- Emptying water from mosquito breeding sites around the home, such as buckets, unused kiddie pools, old tires or similar sites where mosquitoes may lay eggs.
- Using nets and/or fans over outdoor eating areas.

Signs of EEE infection include the sudden onset of fever, chills, body and joint aches which can progress to a severe encephalitis, resulting in headache, disorientation, tremors, seizures and paralysis. Anyone who thinks they may be experiencing these symptoms should contact a medical provider. Permanent brain damage, coma and death may also occur in some cases.

More information, including a Frequently Asked Questions document, are available at Michigan.gov/EEE.